



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1828/162/07/18/1335

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : SHANGHAI RISTA LABOUR PROTECTION PRODUCTS CO., LTD
ROOM 608&609, BUILDING 1, NO.1505, LIANGHANG ROAD, PUJIANG TOWN, MINHANG DISTRICT, SHANGHAI China

Description

PPE Type : *protective glove against mechanical risks, chemical risks, against microorganisms risks*

Product reference : 06-656

Glove description : cotton liner tripple dipping PVC glove

Available sizes : 7/S 8/M 9/L 10/XL 11/2XL 12/3XL

Pictures :



Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020	-
EN 388:2016 + A1:2018	4 1 2 1 X
EN ISO 374-5:2016	MICRO-ORGANISMS
EN ISO 374-1:2016 / A1:2018	Type A AJKLMPT

This product is a category III (lethal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module D (SGS FIMKO OY 0598)

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from December 2021 and the Instruction for Use Version: 11/2021.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISSADO
Certification Manager

Date of first issue : 04 July 2018
End of validity date : 04 July 2023
Update01: 30 December 2021



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

SHANGHAI RISTA LABOUR PROTECTION PRODUCTS CO., LTD

**MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425**

Reference of the product	:	06-656
Article code	:	/
Technical file index	:	02
Last update	:	December 2021

IDENTIFICATION

Reference of the product :	:	06-656
Article code :	:	/
Basic Model		
Technical file index :	:	02
Last update :	:	December 2021

Manufacturer :

SHANGHAI RISTA LABOUR PROTECTION PRODUCTS CO., LTD
ROOM 608&609, BUILDING 1, NO.1505, LIANGHANG ROAD, PUJIANG TOWN,
MINHANG DISTRICT, SHANGHAI

China

tel : 86-21-34553468

fax : 86-21-34556976

Factory :

JIANGSU RISTA SAFETY PROTECTION PRODUCTS CO.,LTD

NO.128 MINGZHU ROAD BINHAI INDUSTRIAL PARK,QIDONG,JIANGSU

China

tel: 86-513-83921166

fax:

GLOVE DESCRIPTION

General glove description and intended use:

cotton liner tripple dipping PVC glove

This glove is designed against mechanical risks, chemical risks, against microorganisms risks.

Type of coating finish : sandy

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.10.2	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		BLUE	PVC	1053 ~ 1287 g/m ²		1.15 ~ 1.3MM
		WHITE	COTTON	150 - 160 g/m ²	15	
Back		BLUE	PVC	1053 ~ 1287 g/m ²		1.15 ~ 1.3MM
		WHITE	COTTON	150 - 160 g/m ²	15	
Cuff		BLUE	PVC	1053 ~ 1287 g/m ²		0.8 - 0.9MM
		WHITE	COTTON	150 - 160 g/m ²	15	

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks, chemical risks, against microorganisms risks.

It is a category III product, module D

Notified Body Reference : SGS FIMKO OY (0598)
Takomotie 8, FI-00380 Helsinki, Finland

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 5

Available size range: 7/S-12/3XL

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

Hand size	Hand circumference (mm)	Hand length (mm)
7/S	210	160
8/M	222	170
9/L	246	180
10/XL	252	190
11/2XL	258	200
12/3XL	274	205

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

Chemical hazard EN 374-2 : 2014

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Chemical hazard EN ISO 374-1 : 2016 / A1 : 2018

Type :	Type A
---------------	--------

Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
Methanol	67-56-1	A	2	-4,1%
n-Heptane	142-82-5	J	2	9,5%
Sodium hydroxide 40%	1310-73-2	K	6	17,9%
Sulphuric acid 96%	7664-93-9	L	4	0,2%
Nitric acid 65%		M	4	-9,9%
Hydrogen peroxide 30%	7722-84-1	P	6	-14,0%
Formaldehyde 37%	50-00-0	T	6	-28,8%

Microorganism EN ISO 374-5 : 2016

This glove protect against microorganism.
Uncontrolled against viruses.


TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S170810716_2 S180100168_1 S200909697_2 S211110863_1 (DMFU)	
EN 388	S170810716_2	
EN 374-2	S170810716_2 S181115413_1	
EN 16523-1	S170810716_2 S180100168_1 S181115413_1	
Other	S170810716_2 (EN 374-4) S181115413_1 (EN 374-4)	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : 06-656

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels


Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Method of marking on the glove :

Marking to be printed at the back of hand by pad printing machine.

Packaging suitable for transport:

12 pairs a polybag,72pairs a carton.

PPE subject to ageing :

Peremption period : 3 YEARS when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

For the decontamination, hand wash gloves with neutral solvent Under 50°C if they are used in a condition that they will be contacted with chemicals.It's better wearing gloves when washing used/dirty gloves.

Hand wash gloves with fresh water or wipe they down with a damp cloth if they are used in normal condition that no chemical will be contacted.

MEANS OF CONTROL

According to ISO 9001, Random inspect Abrasion, water leak, air leak for every batch

Certificate of Registration



The Governing Board of
Q.A. International Certification Limited
hereby grants to:

Jiangsu Rista Safety Protection Products Co., Ltd.
Unified Social Credit Code: 91320681301899574W
Registration No.: QAIC / CN / 200588

(hereinafter called the Registered Company) the right to be listed in the Directory of Registered Companies in respect of the services listed below. These services shall be offered by the Registered Company at or from only the active business address given below in accordance with the quality management system in compliance with ISO 9001:2015.

Business License Address:
No.128, Mingzhu Road, Binhai Industrial Zone, Qidong City, Jiangsu Province, P.R. China

Active Business Address to which this Certificate is registered:
No.128, Mingzhu Road, Binhai Industrial Zone, Qidong City, Jiangsu Province, P.R. China

Approved Scope to which this Certificate refers:
The Manufacture of Protective Gloves.
(Please note that the above scope represents the certified activity of the named organization and as such, the organization may undertake additional activities that are not covered under this certification).

Signed for and on behalf of the Board


CHIEF EXECUTIVE


SCHEME MANAGER

Certificate Issue Date : 6th November 2020 - Certificate Renewal Before : 5th November 2021
Date of Initial Registration : 6th November 2020 - Re-Certification Before : 5th November 2023

This Certificate of Registration is granted subject to the Regulations approved by the Board.
The information of this certificate can be searched on the website of CNCA (www.cnca.gov.cn).
The certified organization should apply for regular audit to maintain its qualification.

QA INTERNATIONAL
Q.A. International Certification Ltd.
Daxley Green,
Daxley Road,
Daxley,
Oxford, England,
OX1 1GG
Tel: +44 (0)1225 584272