






## Product Family

### Polysafe

Visitor spectacle providing a wide field of view. Single wraparound polycarbonate lens with integral sideshields and contoured nose bridge. Indirect vent helps prevent fogging.



## Product Numbers & Ordering Information

	Product Numbers	Details
	1002550	<b>Clear Frame</b> Clear Uncoated Polyfort Lens
	1015744	<b>Black Temples</b> Clear Uncoated Polyfort Lens
	1002549	<b>Clear Frame (Polysafe Plus)</b> Clear Lens, Anti-scratch Coating

## Overview

### Key Features

- Safety eyewear for visitors
- Wide viewing area with excellent coverage
- Can be worn over most prescription eyewear (OTG compatible)
- Available with scratch-resistant hardcoating
- Made in the USA

### Recommended Industries/Use

- Agriculture
- Food Services
- Forestry
- Manufacturing
- Medical
- Mining
- Municipal Services
- Pharmaceutical
- Utilities

### Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Impact
- Low Visibility

### Regulations

## Polysafe

- ANSI Z87+ - ANSI Z87+
- CSA Z94.3 - Tested by Honeywell to meet the requirements of the CSA Z94.3 standard
- EN 166/EN 170 - EN 166/EN 170
- AS/NZS 1337.1 - Australia New Zealand Standard. Medium Impact Lic 2209
- European Directives 89/686/EEC - European Directives 89/686/EEC
- Quality Assurance ISO 9001/2000 - Quality Assurance ISO 9001/2000
- Optical Class 1 - Optical Class 1 Impact Rating F
- Impact Rating F - Impact Rating F

### Historical Brand

Pulsafe, Willson, Sperian

### Warranty Information

LIMITED WARRANTY: Honeywell warrants that its products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Honeywell Safety Product distributor or the seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Honeywell or the Honeywell Safety Product distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Honeywell product or component found to have been altered, misused, abused tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elastomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Honeywell Safety Product should be used only on strict accordance with and adherence to the detailed instructions and warnings provided with the product.

## Specifications

### Range

- Spectacles (Visitor Spec)

### Lens Type

- Single

### Lens Overall Width

- 155mm

### Lens Material

- Polycarbonate

### Lens Coating

- Uncoated, Hardcoat

### Lens Thickness

- 2.2mm

### Available Lens Tints

- Clear, TSR® Gray

### Replacement Lenses Available (Yes/No)

- No

### Rx Capable

- Fits over most prescription eyewear

### Temple Material

- Polycarbonate

### Temple Length

- 105mm

### Temple Set-back

- 60mm

### Temple Style

- 1 piece

### Spectacle Weight

- 43.5 grams

**Frame Material**

- Frameless Uni-lens

**Available Frame Colors**

- Clear, TSR® Gray

**Dielectric Frame (Yes/No)**

- Yes

**Packaging**

- 72 pr./case or 10/box, 10 boxes/case, 100/case

**Country of Origin**

- USA

**Side Shield Material**

- N/A

**MSDS Requirements**

- None

**WHMIS Requirements**

- None

**Harmonization Code**

- 9004.90.0000

**Frame Color**

- Clear Polycarbonate

**Lens Coatings**

- Hard Coat, Uncoated

## Literature & Documents

**Uvex Polysafe Brochure - English**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Eyewear/4294990130/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Eyewear/4294990130/1033.aspx)

## Training & Proper Use

All products come packaged with instructions and warnings for proper use.

## Technical Support

France : [info-france.hsp@honeywell.com](mailto:info-france.hsp@honeywell.com)  
Export : [info-export.hsp@honeywell.com](mailto:info-export.hsp@honeywell.com)  
Belgium, Luxembourg, netherlands : [info-benelux.hsp@honeywell.com](mailto:info-benelux.hsp@honeywell.com)  
Germany, Austria, Switzerland : [info-germany.hsp@honeywell.com](mailto:info-germany.hsp@honeywell.com)  
Italy : [info-italia.hsp@honeywell.com](mailto:info-italia.hsp@honeywell.com)  
United Kingdom, Middle East & SouthernAfricaBranch : [info-uk.hsp@honeywell.com](mailto:info-uk.hsp@honeywell.com)  
Spain, Portugal : [info-spain.hsp@honeywell.com](mailto:info-spain.hsp@honeywell.com)  
Sweden, Denmark, Finland, Iceland, Norway : [info-nordic.hsp@honeywell.com](mailto:info-nordic.hsp@honeywell.com)  
Estonia, Latvia, Lithuania : [info-nordic.hsp@honeywell.com](mailto:info-nordic.hsp@honeywell.com)  
Russia : [info-russia.hsp@honeywell.com](mailto:info-russia.hsp@honeywell.com)  
Hungary : [info-hungary.hsp@honeywell.com](mailto:info-hungary.hsp@honeywell.com)  
Poland : [info-poland.hsp@honeywell.com](mailto:info-poland.hsp@honeywell.com)  
Australia/New Zealand: [hshspamarketing@honeywell.com](mailto:hshspamarketing@honeywell.com)